

# Stroud District Council - Strategic Housing Land Availability Assessment, December 2011

RTP ID: **94**

Site Name: **Land off Besbury Park, Minchinhampton**

Site activity: Occupied site (No buildings)

Main current use: Agriculture

Type of potential: New build

## Site Details

Included in 2011 Assessment?: Yes

## Suitability Assessment

Physical problems or limitations: Access

Environmental conditions:

Time period over which constraints can be addressed - if possible: 2016-2021

## Site Assessment Panel

Likely to be deliverable?: Yes

Impact on theoretical yield: 25% reduction

Reason for impact on yield or general deliverability issue: Site access

Potential for 'town centre' mixed use development: No

## Policy Constraints

AONB (%): 100

Key Employment Land (%): 0

Key Wildlife Sites (%): 0

Tree Preservation Order (count): 0

Flood risk Level 2 (%): 0

Flood risk Level 3a (%): 0

Flood risk Level 3b (%): 0

## Estimate of Housing Potential

Gross Site Area (ha): 1.43

Net developable area (ha): 1.43

Proportion of net developable area available after taking account of physical obstacles(%): 75

Effective developable area (ha): 1.07

Density (dph): 40

Reason for not assessing the site:

Site Source: Call for Sites

Parish: Minchinhampton CP

District Ward: Minchinhampton

Site Classification: Edge of Smaller Towns and Larger Villages

Easting: 388,011

Northing: 201,340

Gross Site Area (ha): 1.43

Local Plan Allocation:

## Information from Site Visit / Call for Sites

Single / multiple ownership: Single

If multiple ownership, are all owners prepared to develop?:

Brownfield/Greenfield: Greenfield

## OVERALL ASSESSMENT:

Number of dwellings:	
Yield (no of dwgs): 2011-2016:	
<b>32</b>	<b>32</b>
Density (dph): 2016-2021:	
<b>40</b>	
2021-2026:	
2026 onwards:	

Is site suitable for housing development?:

Is site available immediately?:

Is site likely to be deliverable?:

Possibly

Yes

Yes

What actions are needed to bring site forward?:

1. Determine whether AONB policy can be relaxed/lifted or design can address impact. 2. Determine whether access issue can be addressed

# Stroud District SHLAA, Site Analysis, September 2011

