

Stroud District Council - Strategic Housing Land Availability Assessment, December 2011

RTP ID: **27**

Site Name: **Land adjacent to Tiltdown House, Cam**

Site activity:

Main current use:

Type of potential:

Potential for 'town centre' mixed use development:

Site Details

Included in 2011 Assessment?: **No**

Suitability Assessment

Physical problems or limitations:

Environmental conditions:

Time period over which constraints can be addressed - if possible:

Site Assessment Panel

Likely to be deliverable?:

Impact on theoretical yield:

Reason for impact on yield or general deliverability issue:

Reason for not assessing the site: **Changed size and been resubmitted**

Policy Constraints

AONB (%):

Key Employment Land (%):

Key Wildlife Sites (%):

Tree Preservation Order (count):

Flood risk Level 2 (%):

Flood risk Level 3a (%):

Flood risk Level 3b (%):

Estimate of Housing Potential

Gross Site Area (ha):

Net developable area (ha):

Proportion of net developable area available after taking account of physical obstacles(%):

Effective developable area (ha):

Density (dph):

Site Source: **Call for Sites**

Parish: **Cam CP**

District Ward: **Cam East**

Site Classification:

Easting: **374,656**

Northing: **199,618**

Gross Site Area (ha): **2.08**

Local Plan Allocation:

Information from Site Visit / Call for Sites

Single / multiple ownership: **Multiple**

If multiple ownership, are all owners prepared to develop?:

Brownfield/Greenfield:

OVERALL ASSESSMENT:

Is site suitable for housing development?:

What actions are needed to bring site forward?:

Number of dwellings:

Is site available immediately?:

Is site likely to be deliverable?:

Yield (no of dwgs):	2011-2016:	<input type="text"/>
	2016-2021:	<input type="text"/>
Density (dph):	2021-2026:	<input type="text"/>
	2026 onwards:	<input type="text"/>

Stroud District SHLAA, Site Analysis, September 2011

