

Stroud District Council - Strategic Housing Land Availability Assessment, December 2011

RTP ID: **104**

Site Name: **Land at Holywell Farm, Wotton under Edge**

Site activity: Occupied site (No buildings)

Main current use: Agriculture

Type of potential: New build

Site Details

Included in 2011 Assessment?: Yes

Reason for not assessing the site:

Site Source: Call for Sites

Parish: Wotton-under-Edge CP

District Ward: Wotton-under-Edge

Site Classification: Edge of Smaller Towns and Larger Villages

Easting: 376,340

Northing: 193,575

Gross Site Area (ha): 2.39

Local Plan Allocation:

Potential for 'town centre' mixed use development: No

Policy Constraints

AONB (%): 100

Key Employment Land (%): 0

Key Wildlife Sites (%): 0

Tree Preservation Order (count): 0

Flood risk Level 2 (%): 28

Flood risk Level 3a (%): 28

Flood risk Level 3b (%): 26

Estimate of Housing Potential

Gross Site Area (ha): 2.39

Net developable area (ha): 2.39

Proportion of net developable area available after taking account of physical obstacles(%): 100

Effective developable area (ha): 2.39

Density (dph): 40

Suitability Assessment

Physical problems or limitations: Functional floodplain (more than 10% of site)

Environmental conditions:

Time period over which constraints can be addressed - if possible: 2016-2021

Site Assessment Panel

Likely to be deliverable?: Yes

Impact on theoretical yield: No

Reason for impact on yield or general deliverability issue:

Information from Site Visit / Call for Sites

Single / multiple ownership: Single

If multiple ownership, are all owners prepared to develop?:

Brownfield/Greenfield: Greenfield

OVERALL ASSESSMENT:

Number of dwellings:	
Yield (no of dwgs): 2011-2016:	
72	72
Density (dph): 2016-2021:	
40	
2021-2026:	
2026 onwards:	

Is site suitable for housing development?:

Is site available immediately?:

Is site likely to be deliverable?:

Possibly

Yes

Yes

What actions are needed to bring site forward?:

- Determine whether AONB policy can be relaxed/lifted or design can address impact.
- Assess requirements to satisfactorily address flood risk.

Stroud District SHLAA, Site Analysis, September 2011

